



- Notes**
- Limits of work are approximate and are to be agreed on site with the Engineer.
 - Chainage 0m is located at the junction with West Street on the left hand side.
 - Type 1 granular sub-base is to be used where necessary throughout the works, to be agreed on site with the Engineer.
 - Refer to document WHCC_HM-ATK-HGN-1718-FW0059-BQ-D-0003 Site Design Sheet for construction locations and quantities.
 - See below for ironwork quantities.

Key

- Regulate footway 0 - 40mm with AC 6 dense surf 100/150, then overlay with AC 6 dense surf 100/150, 20mm thick.
- Excavate existing footway 80mm and replace with AC 20 dense bin 40/60 des, 60mm thick. AC 6 dense surf 100/150, 20mm thick. (See construction detail 1 below).
- Site Extents

Construction Detail 1

- AC 6 dense surf 100/150, 20mm thick
- AC 20 dense bin 40/60 des, 60mm thick

Ironwork Quantities

MH: 1.0

Total Area

229.5m²

WC Brief No: TBC
 Client Finance Code: 63 24 49
 Works Order No: HQR2/TBC
 Postal Area: SN16

USRN: 28600102 to 28600118
 Grid Ref: 392996, 187461 to 392961, 187462
 Philips Street Atlas: Page 27 F3

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION

IN ADDITION TO THE HAZARDS/RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING SIGNIFICANT RESIDUAL RISKS

CONSTRUCTION	NONE
MAINTENANCE/CLEANING	NONE
USE	NONE
DECOMMISSIONING/DEMOLITION	NONE

THIS MAP IS REPRODUCED FROM ORDNANCE SURVEY MATERIAL WITH THE PERMISSION OF ORDNANCE SURVEY ON BEHALF OF THE CONTROLLER OF HER MAJESTY'S STATIONERY OFFICE. © CROWN COPYRIGHT. UNAUTHORISED REPRODUCTION INFRINGES CROWN COPYRIGHT AND MAY LEAD TO PROSECUTION OR CIVIL PROCEEDINGS. 100049050, 2014

Stat	Purpose of Issue	Date	Auth	Rev	Description	By	Date	Chk'd	Auth
S3	Fit for Approval	10/03/17	DSW	C1	First Issue	AJ	10/03/17	PS/MB	DSW

ATKINS™
 Atkins Limited
 Consulting Engineers,
 County Gate, County Way
 Trowbridge, Wiltshire
 BA14 7FJ
 Tel: 01225 730360
 www.atkinsglobal.com

Wiltshire Council
 Where everybody matters

Client: Major Maintenance 2017/2018
 Project: Footway Schemes 2017/2018

Title	FW0059 Grovers Court, Malmesbury			
Sheet Size	Original Scale	Designed/Drawn	Checked	Authorised
A3	NTS	AJ	PS/RAB	DSW
Status	Drawing Number	Date	Date	Date
S3	WHCC-HM-ATK-HKF-1718-FW0059-DR-D-0003	10/02/17	17/02/17	10/03/17
Rev	C1			